

Name of Inspector: Frank Donroe

Signature: 

Date: 12-28-20

No horses stabled on site, shipped in on race days only

Time inspection started: 12pm

AREAS SUBJECT TO INSPECTION

	Time inspection started: 12pm											Additional Comments (Deficiencies and Remedies)				
	Barn 1	Barn 2	Barn 3	Barn 4	Barn 5	Barn 6	Barn 7	Barn 8	Barn 9	Barn 10	Barn 11		Barn 12	Barn 12A	Pony Barn	Cafeteria Bldg.
Process Wastewater Management																
Are there any signs that animal washing has been conducted outside of the designated washing stalls?	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	NA
Are there any hoses or wash buckets observed outside the barns?	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	NA
Are rubber mats being washed outside of the horse wash stalls?	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	NA
Are there signs that vehicle/equipment washing has taken place in the horse barn area?	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	NA
Are WEP signs posted at each end of the barn and middle?	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	NA
Do storm drains have the words <i>Storm Drain - No Wastewater</i> stenciled nearby?	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	NA
Are horse washing stalls operational?	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	NA
Are chemicals being handled and disposed of in a manner sufficient to prevent pollutants from entering the storm water conveyance system?	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	NA
Are barns free of outside water spigots with the exception of the west side of Barn 11? (State Gaming Commission)	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	NA
Dumpster Management																
Is ground around manure/bedding dumpsters free of manure and bedding?	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	NA
Are there signs that dumpsters are releasing residual liquid to the ground?	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	NA
Do any dumpsters appear to be at capacity or in need of emptying?	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	NA
Stormwater Management / Diversionary Equipment / Monitoring																
Are gutters and downspouts in good condition and free of debris?	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	NA
Do stormwater drains show signs of improper wastewater disposal?	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	NA
Real-Time Dry Weather Monitoring Equipment																
Are solar powered wet sensors in the northern and southern stormwater catchbasins functional?	yes															
Is pump runtime meter on wet well pump control panel functioning?																
Is the daily log being filled out?																

Pump 1: 2855.1 Pump 2: 1981.9

IMMEDIATELY CONTACT THE WEP COORDINATOR WITH ANY IDENTIFIED DEFICIENCIES AT (516) 204-5093. IF NOT AVAILABLE CONTACT SECURITY AT GATE 6 BACK STRETCH AT (718) 641-7400 OR AQUEDUCT MAIN SECURITY AT (718) 659-3511